© 0&0 software 0&0 DiskImage 17 Server Edition



GDPR-compliant data backup for businesses and IT Service Providers

Data backup is vital for every enterprise. When data is lost, it's not just customers and business data that disappears, commercial relationships can suffer long term damage as well, and this means serious trouble for the business itself. There is enormous pressure on current IT staff to make sure business operations are kept running constantly.

Comprehensive VHD / VHDX functionality

With the new O&O DiskImage 17 Server it is now possible to create virtual images of the Microsoft Virtual Hard Disc type (VHDX and VHD). This can be especially useful if someone wants to first "rehearse" migrating from Windows 10 to Windows 11 because it can be done using a virtual machine created on the current system.

In addition, users can create incremental and differential backups of virtual drives. Combining or mounting these images is also possible. Whenever there's a backup available, it only takes a few seconds to access any files that are needed. Work on the computer can then be continued without any loss of time or important data.

O&O DiskImage with its own recovery partition

O&O DiskImage now saves the recovery environment on the computer itself, so that in the event of system failure the system can be started directly from there. - including, of course, the last system image.

Thanks to the integration into the system, the O&O DiskImage RecoveryPartition can be accessed immediately so that the last system image can be restored directly. If the Windows operating system does not start or faulty drivers must be uninstalled, with the integrated recovery environment, all O&O tools are available to get the system up and running again as easily as possible.

O&O DiskImage ToGo

Previously, you always needed two different storage media: a USB stick or similar to create the O&O DiskImage boot media, which allows you to restore a system partition, and a USB hard drive for backing up your desktop or server. From now on, one storage medium is enough! Simple, fast and without any searching: you are always ready to restore your system!

Protection against sabotage

It sadly happens every day: malicious software enters a business network and infects most if not all machines, then systematically destroys data. Often the attack is noticed too late, so that the data is lost forever. The recovery of systems and data in such a case has top priority. O&O DiskImage provides the appropriate mechanisms to restore individual files or entire systems in an instant.

Command line function

With the brand new command line function in O&O DiskImage, the practice of controlling batch files and with it automatic application of O&O DiskImage has been made even more comfortable for an Administrator and his or her company.



Startpage: O&O DiskImage

| Start | Drive oper | ation | File ope | ration | Jobs & Re | ports | Tools | | | | | | ス会(|
|-------------------|---------------|------------|-------------------|-------------------|-----------|-------|-------|--------------------|----------|---------|----------|-----------|-------------|
| | - 🚄 | | ٠ | ×, | \ | | | jan. | \ | = | (| | |
| One-cli imagir | | lm: a c | age of the hanges | Refresh drives | Options | n | Drive | Suggest targets | Options | Cloning | Option | IS | |
| | | | mage | | | | | Restoration | | Clo | ning | | |
| 🕠 Soi | urce drive | | | | | | | | | Size | Fr | ee | File system |
| -0- | Disk 0 (GPT) | | | | | | | | | 931,5 | I GB | | |
| | Microsoft re | served p | partition | | | | | | | 15,9 | 8 MB | 15,98 MB | RA |
| | Data (D:) | | | | | | | | | 931,5 | IO GB | 469,65 GB | NT |
| 0 🚅 | Empty regio | n 1 | | | | | | | | 727, | 50 KB | 727,50 KB | |
| | Disk 1 (GPT) | | | | | | | | | 119,2 | A GB | | |
| | SYSTEM_DR | | | | | | | | | 260,0 | 0 MB | 210,35 MB | EAT |
| | Microsoft re | | partition | | | | | | | 16,0 | 0 MB | 16,00 MB | RA |
| | Windows-SS | D (C:) | | | | | | | | | IO GB | 52,89 GB | |
| | WINRE_DRV | | | | | | | | | 1000,0 | | 348,39 MB | NT |
| | Disk 2 (Basic |) | | | | | | | | | IS GB | | |
| | OODI (F:) | | | | | | | | | | IO GB | 2,32 GB | |
| | DATA (E) | | | | | | | | | | 25 GB | 26,11 GB | FAT |
| 0 🚄 | Empty regio | n 2 | | | | | | | | 1,0 | 0 MB | 1,00 MB | |
| | | | | | | | | | | | | | |
| | Add as | job | | | | | | | | | | Imaging | |

| | hage | | |
|---|--|--|----|
| | | | |
| | | | |
| | | | |
| | | | |
| Base | | Add driver | |
| Set the Windows PE version for creating the | bootable medium. | To integrate drivers into the bootable medium, please make sure that the | y. |
| | | are located in a directory and specify it here. The drivers are started automatically when the medium is started. | |
| Use Windows & recovery environment | Change | bba | |
| | - Charles | | |
| hoose between the OBO RecoveryPartition, | OBO Diskûmage ToGo, a simple boo | table disk or the creation burning of an ISO file. | |
| | eldennes Taffe (Dieb. 1970 Be (June | - | |
| | | | |
| | | | |
| The O&O DiskImage RecoveryPartition is a You can create a new O&O DiskImage Reco | protected partition on which the bo overvPartition or select an existing p | stable image and optional image files are stored. sartition and have it set up as an OBO Disklimage RecoveryPartition. Please note | |
| The O&O Diskinage RecoveryPartition is a You can create a new O&O Diskinage Reco | protected partition on which the bo overyPartition or select an existing p le. | otable image and optional image files are stored. antition and have it set up as an OBO Diskimage RecoveryPartition. Please note | |
| You can create a new OBO Disk0mage Reco | protected partition on which the bo overyPartition or select an existing p le. bootable medium, please switch to | orbite image and optional image files are stored. aartition and have it set up as an OBO DiskImage RecoveryPartition. Please note the tab 'DBO DiskImage ToGo/Disk'. | |
| The O&O Diskūnage RecoveryPartition is a You can create a new O&O Diskūnage Reco that external storage media are not autabil If you want to set up an external disk as a | protected partition on which the bo overyPartition or select an existing p le. bootable medium, please switch to | orbite image and optional image files are stored. aartition and have it set up as an OBO DiskImage RecoveryPartition. Please note the tab 'DBO DiskImage ToGo/Disk'. | |
| The O&O Diskūnage RecoveryPartition is a You can create a new O&O Diskūnage Reco that external storage media are not autabil If you want to set up an external disk as a | protected partition on which the bo overyPartition or select an existing p le. bootable medium, please switch to | orbite image and optional image files are stored. aartition and have it set up as an OBO DiskImage RecoveryPartition. Please note the tab 'DBO DiskImage ToGo/Disk'. | |
| The O&O Diskūnage RecoveryPartition is a You can create a new O&O Diskūnage Reco that external storage media are not autabil If you want to set up an external disk as a | protected partition on which the bo overyPartition or select an existing p le. Bootable medium, please switch to ton is shown below and can be delet | odels hage and optional image files are stored. antiform and instrument to as an OLD Disdingge RecoveryPartSon. Please note the Di OLD Disdinge ToGo,CleV. | |
| The O&O Diskūnage RecoveryPartition is a You can create a new O&O Diskūnage Reco that external storage media are not autabil If you want to set up an external disk as a | protected partition on which the bo overyPartition or select an existing p le. bootable medium, please switch to | orbite image and optional image files are stored. aartition and have it set up as an OBO DiskImage RecoveryPartition. Please note the tab 'DBO DiskImage ToGo/Disk'. | |
| The O&O Diskūnage RecoveryPartition is a You can create a new O&O Diskūnage Reco that external storage media are not autabil If you want to set up an external disk as a | protected partition on which the bo overyPartition or select an existing p le. Bootable medium, please switch to ton is shown below and can be delet | odels hage and optional image files are stored. antiform and instrument to as an OLD Disdingge RecoveryPartSon. Please note the Di OLD Disdinge ToGo,CleV. | |

O&O DiskImage RecoveryPartition

© O&O software

0&0 DiskImage 17





File Backup

| [73%] Dri | ive Imaging | | | - | | × |
|-----------|---|--------------------------|-------------------------------|-----------------------|----------|---|
| 4 | Target: | C:\Users\User\I | Desktop\Image202110 | 22.omg | | |
| | Drive imaging | | | | | |
| | Current operation: | Imaging used sec | tors on 'Basic data partition | n (G:)' (1,858,863,10 | 4 Bytes) | |
| | | | | | 73% | |
| | Snapshot cache: | | | | 0% | |
| | Overall progress: | | | | 73% | |
| | Duration so far: Estimated remaining | 0:00:00:18 0:00:00:05 | Write speed: | can not be cal | culated | |
| | Warnings: | None | | | | |
| | re gptions • | | | Start | Cano | |

Imaging process (empty snapshot cache)

| _ | | | | | | |
|------|-----------------------|-------------------|--|----------------------|------------------------|---------------------|
| eral | Security Notification | n Drive Imaging | Drive restoration 0 | Cone drive File ba | ckup File restoratio | in Jobs and reports |
| | The access data n | | r the SMTP Server if I manage the data hi | | | the automatic |
| | Server | 1 | | Port | 25 | |
| | | This server req | ires an encrypted co | nnection (SSL/TLS) | | |
| | User name | | | Domain | | |
| | Password | | | | | |
| | Sender | | | Subject | | |
| | Save | Delete | | | | Test e-mail |
| | Sound settings | | | | | |
| | Sound for events | SystemNotificatio | n | | | Sound test |

Images and file backups

O&O DiskImage offers a variety of options for creating backups. You can choose between images (system images) and file backups. With images you can restore a system 1:1. With a file backup, you backup selected files and directories which you can then access again later.

File Backup

O&O DiskImage enables the backup and restoration of individual files and folders. Compared to a drive image, the file backup doesn't store drive information.

M.I.R. - Machine Independent Restoration

The Machine Independent Restoration enables a system restoration onto machines with different hardware setups. This means a system image or a clone cannot only be restored onto Server and Desktop PCs with identical hardware, but also onto hardware where the processor or motherboard has been changed, for instance.

Imaging with no downtime

O&O DiskImage Server Edition includes a mechanism, which ensures that the imaged data corresponds exactly to the moment of the begin of the imaging process: changes to the data set by the user or applications will not influence a running imaging process. The existing file system and the application environment have therefore no influence on the process. Only by harnessing this technology can consistent system images be created, while at the same time ensuring that the system runs without interruption, and remains continuously available.

Specially designed for server environments

O&O DiskImage Server Edition was specifically designed to make the most modern systems more efficient, without unnecessarily straining older hardware due to a high resource use. O&O DiskImage Server Edition fully supports 64 bit server operating systems, dynamic data volumes, and of course fail-safe RAID configuration.

Automation, scripting and reporting

A comprehensively configurable time control enables you to comfortably create automated images with O&O DiskImage. In addition, O&O DiskImage Server Edition can be controlled completely over script commands. Detailed reports are then compiled, informing you as to the results of every procedure or activity.

lotification - E-mail settings

© O&O software O&O DiskImage 17 Server Edition



Choice of various types of images

O&O DiskImage lets you perform full and differential/incremental imagings. Full imaging allows you to choose between a space-saving image of used sectors and an all-inclusive forensic imaging which can be used when restoring data - for example, in conjunction with O&O DiskRecovery. An image of the changes lets save you space, as you image only those data sectors which have changed since the last imaging procedure. All important composition information is saved in every image file. Even when single image files are lost, you can still carry out a partial data restoration of data that is still available.

ISO file can be mounted as virtual drive

You have the possibility to mount an ISO file as a drive. The ISO file is treated as a separate drive. You can view and use its contents using Windows Explorer. This can be of help, when you download an ISO file for a program installation. Instead of first burning the ISO file on a CD, to run the installation, you can now simply mount ISO file as a drive using O&O DiskImage, start the setup and run the installation.



Images can be split into several files. For example, you can limit the size of an image to a maximum of 700 MB. An image of your drive can then be composed of several image files of each up to 700 MB. An automatic split is also possible, if for example the target drive is full or the maximum file size of the file system has been reached.

Virtual hard disks (VHD)

To make working with Microsoft Virtual PCs (VPC) easier, you can convert images to virtual drives (VHD). The converted image can then be mounted as a virtual drive on the VPC, with no need for installing O&O DiskImage there. Similarly, virtual hard disks (VHD)can be converted to Images (OMG).

E-mail notification on activity status

The e-mail notification function is an option you can select to be kept informed of the progress of jobs or activities. You will also be notified of any errors so that you can act quickly to resolve them.

Made in Germany. Made in Berlin.

All O&O products are developed and serviced in Berlin. We at O&O are proud of our German heritage, and proud to represent the quality, security and satisfaction long associated with products "Made in Germany". We take the concerns of our customers very seriously because we know just how important their data is for them. For further information, please visit our website: www.oo-software.com ◆ Sicherung20210126.omg
 Contained volumes
 Propertes
 Propertes
 Microsoft reserved partition
 Basic data partition
 File system
 NTFS
 Size n M8
 20000
 Free in M8
 6 Stable
 Bount drive
 Itic



| Determine which files are not to be con possible to exclude multiple files or all fi | | nage file. Using the wildcards '*' and '?' it is | |
|---|------------|--|--|
| | Add | Excluded files | |
| PC | Bemove | *.~ *.omg | |
| User-PC (C:) Media (D:) | Remove All | *.tmp Vhiberfil.sys | |
| Movie (E:) Basic data partition (F:) | | \pagefile.sys \System Volume Information\ | |
| i user_backup (G:) | | | |
| | | | |
| | Reset | | |

Exclude files from imaging

| Current prof | le | Default | | \sim | Save as | Manage profiles |
|--------------|--------|---|--------------------------|-----------------|-----------------------------|-----------------|
| escription | | Default options contain the r | nost frequently used s | settings for qu | iddy and easily creating do | ned images. |
| Cloning pro | cedure | Advanced | | | | |
| 6 | Exclud | le files | | | | |
| | You ca | an exclude files and folders fro | m the cloning process | . Use the butt | on to add or remove items | to the filter. |
| | Exclud | le from the cloning procedure: | 10 Filters active | | | |
| | Read p | procedure | | | | |
| | The fo | slowing options control the rea | ding of the drive that | is to be done | d: | |
| | □Igr | nore and automatically skip ba | d sectors while reading | 9 | | |
| | Loc | ck source drive while cloning | | | | |
| | | procedure | | | | |
| | The fo | slowing options control the wri | ting of cloned drives: | | | |
| | | ear unused sectors from old da | ita (overwrite explicit) | y with zeroes) | | |
| | | rce write method Write to disk | | | | |
| | | Write to disk Write directly to disk | | | | |
| | | white directly to disk | | | | |

Cloning options

© O&O software

0&0 DiskImage 17



| art Drive o | mage 17 Server I operation Fi | idition le operatio | n Jobs & F | eports Te | ools | | | - | 口 :<: (1) |
|-----------------------------------|----------------------------------|------------------------|--|----------------------|--------------|-----------|--|---|--------------|
| Create cootable disk System | Search for updates | Enable logging | Save support | Settings | (i) About | ? Help | | | |
| | | | | Read or che | 'k imane fil | | | | |
| Read ima | ge information | | D v | lidate image f | | | | | |
| U | | | | | | | | | |
| | | | Mou | nt images as a | drive in th | system - | | | |
| Mount dr | ive | | м | ount | | | | | |
| Unmount | drive | | 69 | | | | | | |
| X | diffe | | | | | | | | |
| | | | | Convert and | merge ima | e | | | |
| Merge inc | cremental image | 5 | o 🚺 🖉 | onvert image f | ile | | | | |
| | | | | | | | | | |
| _ | | | | | | | | | |
| _ | | | ~ | Net | work | | | | |
| Map netw | ork drive | | <u>م</u> | Net sconnect netv | | | | | |
| Map netw | ork drive | | ee | sconnect netv | vork drive | | | | |
| | | | - | sconnect netv | vork drive | | | | |
| Map netw | | | - | sconnect netv | vork drive | 5 | | | |
| | ve | | - | sconnect netv | vork drive | 5 | | | |
| Check dri | ve | | - | sconnect netv | vork drive | 5 | | | |

| 1 | ing the inactive Windows system: | Load |
|-------------------------------|---|------|
| 1 | | Load |
| Current computer SID: | | |
| Generate new SID | | |
| Current computer name: | DESKTOP-Q91K1UL | |
| Give new name | | |
| Restoration on different hard | ware (M.I.R.: machine independent restoration) | |
| Exchange hardware abst | | |
| Apply currently loaded dr | raction layer ivers of the device control gram of the operating system after restarting | |
| Apply currently loaded dr | ivers of the device control | |

| contain the most frequently used settings for qui | ckly and easily creating con | |
|---|---|--|
| O Image of the changes | Overdax | fie |
| O Image of the changes | Ovhox | fie |
| O Image of the changes | ⊖ vHbx | fie |
| | | |
| Base image (complete in | | |
| | nage, incremental or differe | ntial image): |
| | | |
| | | |
| | | |
| to save storage space | | |
| (performance optimized) OBZIP2 | | |
| ler image files with fixed sizes | | |
| 700 MB 🗸 🔿 User-def | ined: | 700 MB \sim |
| lection) | | |
| protect data from unauthorized access | | |
| () AES 192 | () AES 256 | |
| | | |
| | ler image files with fixed sizes 700 MB User-def tection) protect data from unauthorized access | (ser formance optimized) DEZP2 ler mage files with fixed sizes (User -defined: tection) protect data from unsubtrated access |

Highleights

- Comprehensive VHD / VHDX functionality
- O&O DiskImage now supports Windows 11
- O&O DiskImage RecoveryPartition
- O&O DiskImage ToGo turns an external hard drive into an rescue medium
- Backup servers/PCs with the push of a button or automatically
- Helps with the virtualization of your IT
- Migration to new systems
- Strong encryption
- Backup without downtime
- Automation, scripting, and reporting

Imaging Features

- Image an entire computer with the push of a button
- Image system and data drives
- Clone drives and entire disks
- File backup: image and restore individual files and/or folders
- Image only used sectors
- Incremental/differential images: backup only the changes
- Forensic and Direct Forensic images
- Save images to network drives
- Time Schedule for automatic, regular images
- Advanced burning on CD/DVD/Blu-ray
- SSD Support

Restoration Features

- Support for VHDX (Virtual Hard Disk Format)
- Supports EFI/UEFI systems as well as BIOS
- Easily restore files, folders, drives and disks
- Restoring onto different hardware (M.I.R.)
- Boot media is based on Windows 7
- Direct restoration from virtual disks (VHD)

Tools

- Command line function
- High-performance compression (LZNT1 and BZIP2)
- Encryption of images (AES)
- Create a boot CD from the program itself
- Even simpler and quicker user interface
- High-performance compression and encryption of images
- Support for dynamic and GPT volumes
- Exclude certain files and/or file types
- Mount ISO file as a drive
- Check drives and images for errors
- Works with Microsoft Virtual PC Disks (VHD)
- Supported File Systems: NTFS/FAT32/FAT
- Advanced report management and e-mail notifications
- Live Update: Automatic Updates to current Program Versions

Supports Windows[®] 11/10/8/8.1 to Windows[®] Server 2019

O&O Software GmbH Bülowstraße 66 10783 Berlin Germany +49 (0)30 991 9162-00 +49 (0)30 991 9162-99 info@oo-software.com www.oo-software.com © 2021 O&O Software GmbH. All rights reserved. O&O and the O&O logo are registered trademarks of O&O Software GmbH, Berlin. All other brands cited are the property of their corresponding bearers.